1	INCLUDING APERTURED BOARD AND ELEMENT HAMMERED INTO APERTURE	34	AERODYNAMICALLY SUPPORTED OR RETARDED
2	DOMINO EFFECT	35	.Ornithopter
3	INCLUDING VIBRATING OR HORIZONTALLY RECIPROCATING SUPPORT FOR TRAVELLING OBJECT	36	<pre>.Including rotary wing (e.g., helicopter, flying propeller, autogyro, etc.)</pre>
	OR TRAVELLING OBJECT THEREFOR	37	And means to rotate wing
4	HAVING PORTIONS KNOCKED APART OR	38	Separable rotating means
	AWRY BY IMPACT	39	Including resilient actuator
5	.Including portion serving as	40	Including flaccid pulling
	container for diverse articles		element
	(e.g., pinata)	41	Having rewinding spring or
6	.Vehicle		plural discrete flaccid
7	SIMULATION OF VEHICLE COCKPIT OR	4.0	elements
	OF VEHICLE CONTROL	42	Flaccid element wound about
8	TOY MONEY BOX		and in contact with portion
9	.Having figure or mechanism	4.0	which moves aloft
	operated or released by coin	43	Including spiral actuator
10	.Having coin depositing mechanism	44	Including elastomeric actuator
11	Coin projector	45	And projector
12	Coin depositing figure	46	.Spinning disc (e.g., flying
13	.Having retractable coin slot or	4 🗖	saucer)
	guard	47	With electric light or sounder
14	OPERATED BY INTRINSIC TEMPERATURE	48	Having through air passage
	CHANGE	49	.Parachute
15	HAVING MEANS FOR FORMING	50	Released from airplane or
	TRANSITORY BUBBLE	г1	simulated airplane
16	.Including movably mounted means	51	Released from container
	to dip orificed member into solution	52	From rocket or simulated rocket
17	And mouthpiece	53	Container detached from
18	And variable size air chamber		parachute
19	.Including mouthpiece	54	And separable projector
20	And solution reservoir with	55	.Having retractable landing gear
	discrete intermediate passage	56	.Jet-propelled
	leading to bubble forming area	57	.Having motor-driven propeller
21	.Including variable size air	58	Gear-driven or having plural
	chamber		propellers
22	SPARKING	59	Elastomeric motor (e.g., rubber
23	.Figure, wheeled, or simulated		band)
	weapon	60	Enclosed
24	SMOKING	61	.Glider
25	.Wheeled vehicle	62	Having folding wing
26	BODY-CARRIED OR WORN	63	And projector or launcher
27	.Facial, head or neck	64	Resiliently biased projector
28	.Torso	65	Including means to retain
29	STRADDLED		resilient propulsion member in
30	TETHERED FIXED-WING AIRCRAFT		stressed condition
31	.Tether-manipulated control or	66	Having adjustably mounted
	mechanism		airfoil
32	Elevator control only	67	Having longitudinally folded or
33	.Including aircraft-carried		creased fuselage
	propulsion means	68	Having ballast feature

69 70	HAVING SEPARABLE NESTED PARTS SAND CONSTRUCTION	104	One part swingable about an axis extending along a side or
71	CONVERTIBLE FROM, OR SERVING AS		transversely through its end
	DIVERSE ARTICLE	105	.Including post having plural
72	.Including figure toy		longitudinal slots for panel or strip
73	Diverse article is container,	106	.Including elongated element
T 4	holder, or support	100	having laterally opposed
74	Diverse article is fluid		interlocking notches (e.g.,
75	container or handbag		log cabin type)
73	.Including container or storing toy parts	107	.Including longitudinally flexed
76	.Container having shape of		rod or strips
70	specific article	108	.Including connectable panels or
77	.Including toy appurtenance		strips
, ,	attachable to container	109	Folding panel, strip, or
78	Rollable wheel		connector
79	.Having severable portion (i.e.,	110	And door, window or perfecting
	score lineline)		structure for building
80	.Includng fold line (to convert	111	With separate diverse connector
	to toy)		between adjacent panels or
81	.Including sounding toy		strips
82	TOY THEATER	112	Connected panels or strips
83	.Including movable figure		having parallel edges and
84	Including marionette	110	mutually angled faces
85	CONSTRUCTION TOY	113	Extending transversely through
86	.With special tool or workholder	111	panel or strip
87	.For assembly into permanent form	114	Connected with adjacent edges
	<pre>(i.e., nonseparable)</pre>	115	transversely orientedConnected panels or strips
88	Vehicle (e.g., aircraft,	113	having parallel edges and
	automobile)		mutually angled faces
89	.Includng fluid conduit	116	Having resilient interlocking
90	.Including motor		portions
91	.Including electrical feature or	117	.Single column stacking
0.0	assembly	118	.Including substrate for
92	.Including permanent magnet or		construction elements (e.g.,
93	suction cup to secure elements		for array of tiles or pegs)
94	Alternative vehicular forms	119	.Including flaccid connector for
95	Wheeled		joining plural elements
96	And pulling member or	120	.Resilient interlocking joint
70	extrinsic guide		(e.g., snap joint)
97	.Figure	121	Resilient male member
98	Having attachable clothes	122	.Including abutting elements
99	Alternative figures		having slots or apertures
100	Having detachable subordinate		receiving discrete transverse
	part of face or head	123	connector
101	Plural mutually attachable	143	Transverse member is separable bolt or screw
102	.Having parts assembled for	124	.Interfitting elements
	relative movement	125	Including identically shaped
103	Including rotary gear, pulley,	127	interfitting portions
	or strand-winding member		

126	Including three rod-like	154	.Including remote control means
	elements projecting from a		or tether
	fourth element or common	155	For buoyancy control
	connector	156	.Including means to move figure
127	Joined by lateral sliding		or figure part
	(e.g., dovetail)	157	Including oar or paddle held by
128	Including element having plural		figure
	bosses for forming single	158	Mechanical motor within figure
	joint	159	Fluid operated means to move
129	HAVING PERMANENT MAGNET (NOT		figure or figure part
	MOTOR ASSOCIATED)	160	.Boat
130	.For operating valve, switch, or	161	Submersible
	clutch	162	Including mechanical
131	.Including loosely confined parts		propulsion motor
	moved relatively by magnetic	163	Having propulsion means
	field	164	Mechanical motor
132	.Manually held member for	165	And screw propeller rotated
	magnetic interaction with		by motor
	additional member having	166	OPERATED BY GRAVITY-FED FLUENT
	confined movements		MATERIAL
133	.And member movable in spaced	167	.For moving figure or figure
	relation to moving magnet		portion
134	Including interposed partition	168	INCLUDING UNATTACHED GRAVITY-FED
135	Magnet or member moves along		ROLLING, TUMBLING, OR ENERGY-
	partition surface		IMPARTING FALLING ELE ENT, OR
136	Including motor to move		PATHWAY THEREFOR (E.G., MARBLE
	member, magnet, or partition		RUNWAY)
137	.Contacting, mutually attracted	169	.For moving figure or figure
	members		portion
138	Contact maintained during	170	.Hand-supported or-manipulated
	relative movement		runway
139	Including figure or figure	171	.And means for automatically
	portion		recycling element
140	INCLUDING MEANS CREATING,	172	Hand-cranked element conveyer
	STORING, OR OPERATED BY	173	.For moving element-supporting
	STATICALLY INDUCED CHARGE		device
141	TELEPHONE	174	Wheeled element carrier
142	.Having electrical or voice	175	HAVING LIGHT-OR SOUND-RESPONSIVE
	feature		SWITCH OR CONTROL
143	HAVING KEYBOARD	176	OPERATED BY RELATIVELY MOVING
144	SIMULATED HAND OR POWER TOOL		FLUID OR PRESSURE DIFFERENTIAL
145	.Saw or drill	177	.Including suction cup
146	HAVING MEANS TO DRAW	178	.Including motorized fan
147	CHANGEABLE BOOK, CARD, OR PICTURE	179	Producing supporting air column
148	.Including device erected by		or cushion
	opening card or book, or	180	.Including variable-size fluid
	removing from cover		chamber to move fluid
149	.Movable picture portion	181	Supplying compressed gas to
150	Moved by opening or closing		rupture sheet (e.g., film
	card or book		burster)
151	Including hand-manipulatable	182	Including means to feed sheet
	actuator	183	Squeezable figure
152	For moving pivoted portion	184	Sounding
153	AQUATIC		-

185	Including external fluid-	215	Having tether for whirling
	operated accessory or means to	016	sounder
106	move figure portion	216	Whistle or siren
186	Contractable balloon for moving fluid	217	<pre>.Having fluid-driven rotatable radial blade (e.g., pinwheel)</pre>
187	Jet-propelled balloon	218	Rollable or having plural
188	Sounding		rotating bladed members
189	Wheel-actuated	219	HAVING CHEMILUMINESCENT LIGHT
190	And tearing, or having		SOURCE, OPTIC FIBER, MIRROR,
100	mechanism or manipulatable		OR LENS
	means for moving figure	220	INFLATABLE
	portion	221	
191	Having electrical or wind-up	221	.Having separately inflatable
191	motor	222	parts
100		222	.Including externally applied
192	Including motive power means		sealing element
	or hand manipulator for sounder	223	.And means attachable to form a figure
193	And bellows or bulb	224	.Having check valve
194	Rotary or pivoted valve	225	.Simulated aerial or space
195	Reciprocating valve	223	vehicle
196		226	
190	Including piston slidable		.Figure
107	along central apertured member	227	INFANT'S TOY AND MEANS FOR
197	Bellows or bulb for moving		RETAINING, ATTACHING, OR
100	fluid		SUPPORTING TOY IN INFANT'S
198	To move figure or figure		ENVIRONMENT
	portion	228	SUSPENDED FOR TRAVEL BELOW GUIDE
199	.For changing or moving figure or		OR SUPPORT MEANS
	figure part	229	.Including electrical or wind-up
200	Including mouthpiece for		propulsion motor
	blowing or sucking	230	SIMULATED AIRCRAFT OR SPACE
201	Including fluid-driven rotary		VEHICLE (I.E., NON-
	blades		AERODYNAMIC)
202	.Including mouthpiece for blowing	231	.Space vehicle or rocket
	or sucking	232	.Having means to rotate propeller
203	Plural differently operated		or rotor
	sounders	233	GYROSCOPIC
204	Whistle or siren	234	.Having figure
205	Including discrete relatively	235	.Having detachable cord for
	movable portions		spinning
206	Including distinct means for	236	ROTATING OR HAVING VISIBLE
	enabling selection of pitch		ROTATING PORTION (E.G.,
207	Vibratory reed sounder		SPINNING OR WHIRLING, NOT
208	Including distinct means for		ROLLING)
200	enabling selection of pitch	237	.On wheeled support
209	And cone-shaped terminal	238	And having additional portion
200	portion (e.g., horn)	200	which reciprocates or
210	.Convection-operated		oscillates, or which rotates
211			about distinct axis
	.Having jet propulsion	239	.Including corrugated support for
212	And multiple stages or holder	200	imparting rotation
0.1.0	for launching	240	
213	.Sounding	2 T U	.Including unattached rod for
214	Having twistable or	241	manipulating toy
	intertwistable flaccid strands	241	.Including helically grooved or
	for rotating sounder		twisted shaft for imparting
			rotation

242	.Including electric light or electric sounder	280	Including wheel-driven mechanism for moving figure or
243	.Including markings producing		figure portion
	<pre>visual effect (e.g., chromatic)</pre>	281	Plural relatively moving figures
244	Thaumatropic effect	282	Dependent movement or common
245	Cord impeller		component
246	.Including hand crank for	283	One figure mounted on
210	imparting rotation	200	another figure
247	.Having attached cord for imparting rotation	284	Relatively moving portions of one figure
248	Wound about rotatable member	285	Having moving limb or foot to
249	Including spring to rewind		simulate walking
250	Bandalore	286	Figure movement simulates
251	Including sounder, figure, or		propulsion of wheeled support
231	vehicle	287	Movement about vertical axis
252	Sounding	207	or by bent support wheel axle
253	SoundingIntertwistable flaccid strands	288	Including means to move figure
		200	or figure portion with respect
254	Including sounding means		
255	.Aerial (e.g., diabolo)	200	to wheeled support
256	.Top	289	Including axle through or
257	Plural tops	000	within figure
258	Including sounding means	290	Front and rear axles
259	And means for spinning	291	More than two axles
260	Spring impeller	292	Including wheel-driven
261	Cord impeller		mechanism for moving figure
262	Including holding means		portion or accessory
263	Separable	293	For moving limb or foot to
264	Having special tip or spindle		simulate walking
265	.Sounding	294	Having moving limb or foot to
266	.Handle supported manually		walk or simulate walking
	actuated rotating portion	295	.Having means to simulate
267	HAVING ENCLOSED LIQUID		respiration, heartbeat, body
268	FIGURE TOY OR ACCESSORY THEREFOR		temperature, or specific
269	.Rollable		symptom of illness
270	Having sounding means	296	.Having means for simulating
270	Including resiliently		personal toilet or medical
2/1			activity or device therefor
070	recovering striking mechanism		(e.g., bathing, hair care,
272	And wheel-driven mechanism for		etc.)
	moving figure or figure	297	.Having sounding means
0.77.2	portion	298	And internal mechanism to move
273	Pivoted figure having center of		figure portion
0-1	gravity below pivot axis	299	Phonograph, tape, or wire
274	Including wheel-driven	300	Head or head part movement
	mechanism for moving figure	301	Eye, eyelid, or mouth
	portion		movement
275	Vehicle and external figure	302	Phonograph, tape, or wire
276	Having moving limb or foot to	303	And motive power means or hand
	simulate walking		crank
277	By direct linkage to vehicle	304	.Nursing, eating, or drinking
	wheel or axle	305	And tearing or wetting
278	Elongate figure having writhing	305	
	or undulating movement	307	.Tearing
279	Figure mounted on wheeled	JU /	.Rope skipping
	support		

308	.Leaping or projected figure or accessory	338	And means to move or manipulate head
309	Figure	339	Changeable by hand-
310	From within enclosure (e.g.,	552	manipulatable means
3_0	"Jack-in-the-box")	340	Manipulatable means is
311	Self-projecting	310	different body portion
312	By impulse from moving limb	341	Including changeable eye
512	or foot	342	Movable eyelid
313	.Animal and rider	343	Movable eye
314		344	Universally movable
314	.Including guide for ascending or	345	About horizontal axis
215	descending figureAnd flaccid element for		
315		346	Independently movable eyes
216	supporting or moving figure	347	Incrementally closed by
316	.Constructed for walking down	2.4.0	rocking figure
215	incline	348	Having end-mounted axle, or
317	.Including spring for returning		relatively pivoted or sliding
	limb or foot during walking		anchoring portions
318	.Including musical instrument or simulation thereof	349	Having lock or drag for eye movement, or having spring
319	.Variable length hair		acting against axle in slot
320	.Enlargeable or elongatable	350	Adjustable eye spacing
	figure or figure portion	351	Operated by movably mounted
321	.Having selectively displayed		weight
	alternative faces, limbs, or bodies	352	Including motive-power means or hand-crank mechanism
322	.Seesawing or swinging (e.g.,	353	Motive-power means intrinsic
	jumping jack)		to figure
323	Including flaccid support or	354	Human figure having movably
204	actuator for figure		attached arm or leg portion
324	.Tumbling	255	moved by motive power means
325	.Balanced or self-righting	355	Walking
326	Having relatively movable	356	Four moving supporting limbs
	section on balanced or self-		or feet
	righting portion	357	Plural relatively moving
327	.Having hand-or finger-		figures
	accommodating means in figure	358	Including extrinsic electric
328	Hand or finger forms visible		or wind-up motor
	part of figure	359	Including support or
329	And movable jaw		manipulator extrinsic to
330	.Having mechanism or		figure (e.g., marionette)
	manipulatable means to move	360	Relatively movable striking
	figure or figure portion		platform
331	Base-mounted figure and button-	361	Flaccid support or manipulator
	controlled flaccid element to	362	Plural flaccid elements to
	move figure or figure portion		manipulate plural body parts
332	Figure movable along endless	363	Hand-held overhead support
	path		for flaccid elements
333	Kicking	364	For drawing figure along
334	Fighting		surface
335	Including motive power means	365	Resiliently biased body
	or hand crank		portion
336	Striking	366	Rod-supported or -controlled
337	Having changeable facial		figure
:	feature	367	Plural rods for manipulating
			plural body parts

368	.Reptile	405	.Having simulated weapon feature
369	.Fabric-covered stuffed figure		coordinated with sound
370	Having enclosed reinforcing or skeletal portion	406	Including finger trigger for sounder
371	Including hinge feature	407	Single report
	connecting parts	408	.Simulated musical instrument,
372	Including facial or hair feature		radio, camera, or television device
373	.Having enclosed reinforcing or	409	.Including rolling or tumbling
373	skeletal portion	202	toy
374	Of non-recovering bendable	410	Toy locomotive
571	material	411	And rod, cable or tether as
375	Including pivoted joint	111	quide means
376	.Having movably joined body parts	412	Guide means secured centrally
377	Walking	112	of wheel
378	WalkingAnd locking means for retaining	413	Including wheel-carried
370	body parts in adjusted	113	strikers for impacting non-
	position		rotating portion
379	-	414	Having belt-carried or rotary
319	Including separate resilient member	111	striker on vehicle
380	Elastomeric member	415	.Snapping sheet member (e.g.,
381	For joint allowing movement	410	cricket)
301		416	.Voice-actuated diaphragm (e.g.,
202	about plural axes	410	kazoo)
382	By bendable or pliant material	417	.Tick-tack
202	connecting parts	418	.Percussion
383	Including joint allowing	419	Unsecured loosely confined
384	movement about plural axesSwivelled head	419	
			percussive member (e.g.,
385	.Formed from specific material	420	rattle)
385 386	.Formed from specific materialEdible material	420	rattle)Ratchet-actuated
385	.Formed from specific materialEdible materialSheet material figure (e.g.,	420 421	rattle)Ratchet-actuatedIncluding handle for shaking,
385 386 387	.Formed from specific material.Edible material.Sheet material figure (e.g., paper doll)	421	<pre>rattle)Ratchet-actuatedIncluding handle for shaking, flipping, or flicking</pre>
385 386	.Formed from specific materialEdible materialSheet material figure (e.g., paper doll)Three-dimensional folded		<pre>rattle)Ratchet-actuatedIncluding handle for shaking, flipping, or flickingResiliently restored swinging</pre>
385 386 387 388	.Formed from specific material.Edible material.Sheet material figure (e.g., paper doll)Three-dimensional folded figure	421	rattle)Ratchet-actuatedIncluding handle for shaking, flipping, or flickingResiliently restored swinging percussive member
385 386 387 388 389	.Formed from specific material.Edible material.Sheet material figure (e.g., paper doll)Three-dimensional folded figure.Eye	421 422 423	rattle)Ratchet-actuatedIncluding handle for shaking, flipping, or flickingResiliently restored swinging percussive member GARAGE
385 386 387 388 389 390	 .Formed from specific material .Edible material .Sheet material figure (e.g., paper doll) Three-dimensional folded figure .Eye .Limb, hand or foot 	421	rattle)Ratchet-actuatedIncluding handle for shaking, flipping, or flickingResiliently restored swinging percussive member GARAGE MATERIAL OR ARTICLE HANDLING
385 386 387 388 389 390 391	 .Formed from specific material .Edible material .Sheet material figure (e.g., paper doll) Three-dimensional folded figure .Eye .Limb, hand or foot .Head 	421 422 423 424	rattle)Ratchet-actuatedIncluding handle for shaking, flipping, or flickingResiliently restored swinging percussive member GARAGE MATERIAL OR ARTICLE HANDLING DEVICE
385 386 387 388 389 390 391 392	 .Formed from specific material .Edible material .Sheet material figure (e.g., paper doll) Three-dimensional folded figure .Eye .Limb, hand or foot .Head .Eye 	421 422 423	rattle)Ratchet-actuatedIncluding handle for shaking, flipping, or flickingResiliently restored swinging percussive member GARAGE MATERIAL OR ARTICLE HANDLING DEVICE .Having load supporting swingable
385 386 387 388 389 390 391 392 393	.Formed from specific materialEdible materialSheet material figure (e.g., paper doll)Three-dimensional folded figureEye .Limb, hand or foot .HeadEyeEyelash	421 422 423 424 425	rattle)Ratchet-actuatedIncluding handle for shaking, flipping, or flickingResiliently restored swinging percussive member GARAGE MATERIAL OR ARTICLE HANDLING DEVICE .Having load supporting swingable arm
385 386 387 388 389 390 391 392 393 394	.Formed from specific materialEdible materialSheet material figure (e.g., paper doll)Three-dimensional folded figureEye .Limb, hand or foot .HeadEyeEyelashHaving hair	421 422 423 424	rattle)Ratchet-actuatedIncluding handle for shaking, flipping, or flickingResiliently restored swinging percussive member GARAGE MATERIAL OR ARTICLE HANDLING DEVICE .Having load supporting swingable armHorizontally swinging (e.g.,
385 386 387 388 389 390 391 392 393 394 395	.Formed from specific materialEdible materialSheet material figure (e.g., paper doll)Three-dimensional folded figureEye .Limb, hand or foot .HeadEyeEyelashHaving hairMouth feature	421 422 423 424 425 426	rattle)Ratchet-actuatedIncluding handle for shaking, flipping, or flickingResiliently restored swinging percussive member GARAGE MATERIAL OR ARTICLE HANDLING DEVICE .Having load supporting swingable armHorizontally swinging (e.g., crane)
385 386 387 388 389 390 391 392 393 394	.Formed from specific materialEdible materialSheet material figure (e.g., paper doll)Three-dimensional folded figureEye .Limb, hand or foot .HeadEyeEyelashHaving hairMouth feature BALANCED OR SELF-RIGHTING (E.G.,	421 422 423 424 425 426 427	rattle)Ratchet-actuatedIncluding handle for shaking, flipping, or flickingResiliently restored swinging percussive member GARAGE MATERIAL OR ARTICLE HANDLING DEVICE .Having load supporting swingable armHorizontally swinging (e.g., crane) .On wheeled vehicle
385 386 387 388 389 390 391 392 393 394 395 396	.Formed from specific materialEdible materialSheet material figure (e.g., paper doll)Three-dimensional folded figureEyeEye .Limb, hand or foot .HeadEyeEyelashHaving hairMouth feature BALANCED OR SELF-RIGHTING (E.G., ROCKING)	421 422 423 424 425 426	rattle)Ratchet-actuatedIncluding handle for shaking, flipping, or flickingResiliently restored swinging percussive member GARAGE MATERIAL OR ARTICLE HANDLING DEVICE .Having load supporting swingable armHorizontally swinging (e.g., crane) .On wheeled vehicleHaving tiltable vehicle body
385 386 387 388 389 390 391 392 393 394 395 396	.Formed from specific materialEdible materialSheet material figure (e.g., paper doll)Three-dimensional folded figureEyeLimb, hand or foot .HeadEyeEyelashHaving hairMouth feature BALANCED OR SELF-RIGHTING (E.G., ROCKING) SOUNDING	421 422 423 424 425 426 427	rattle)Ratchet-actuatedIncluding handle for shaking, flipping, or flickingResiliently restored swinging percussive member GARAGE MATERIAL OR ARTICLE HANDLING DEVICE .Having load supporting swingable armHorizontally swinging (e.g., crane) .On wheeled vehicleHaving tiltable vehicle body portion for discharging
385 386 387 388 389 390 391 392 393 394 395 396	.Formed from specific materialEdible materialSheet material figure (e.g., paper doll)Three-dimensional folded figureEyeLimb, hand or foot .HeadEyeEyelashHaving hairMouth feature BALANCED OR SELF-RIGHTING (E.G., ROCKING) SOUNDING .Detonating	421 422 423 424 425 426 427 428	rattle)Ratchet-actuatedIncluding handle for shaking, flipping, or flickingResiliently restored swinging percussive member GARAGE MATERIAL OR ARTICLE HANDLING DEVICE .Having load supporting swingable armHorizontally swinging (e.g., crane) .On wheeled vehicleHaving tiltable vehicle body portion for discharging contents (e.g., dump truck)
385 386 387 388 389 390 391 392 393 394 395 396 397 398 399	.Formed from specific materialEdible materialSheet material figure (e.g., paper doll)Three-dimensional folded figureEyeEye .Limb, hand or foot .HeadEyeEyelashHaving hairMouth feature BALANCED OR SELF-RIGHTING (E.G., ROCKING) SOUNDING .DetonatingIncluding projecting means	421 422 423 424 425 426 427	rattle)Ratchet-actuatedIncluding handle for shaking, flipping, or flickingResiliently restored swinging percussive member GARAGE MATERIAL OR ARTICLE HANDLING DEVICE .Having load supporting swingable armHorizontally swinging (e.g., crane) .On wheeled vehicleHaving tiltable vehicle body portion for discharging contents (e.g., dump truck) DISCRETE LAUNCHER, ACCELERATOR,
385 386 387 388 389 390 391 392 393 394 395 396 397 398 399 400	.Formed from specific materialEdible materialSheet material figure (e.g., paper doll)Three-dimensional folded figureEyeEye .Limb, hand or foot .HeadEyeEyelashHaving hairMouth feature BALANCED OR SELF-RIGHTING (E.G., ROCKING) SOUNDING .DetonatingIncluding projecting meansProjectile	421 422 423 424 425 426 427 428	rattle)Ratchet-actuatedIncluding handle for shaking, flipping, or flickingResiliently restored swinging percussive member GARAGE MATERIAL OR ARTICLE HANDLING DEVICE .Having load supporting swingable armHorizontally swinging (e.g., crane) .On wheeled vehicleHaving tiltable vehicle body portion for discharging contents (e.g., dump truck) DISCRETE LAUNCHER, ACCELERATOR, OR RETARDER FOR TOY VEHICLE
385 386 387 388 389 390 391 392 393 394 395 396 397 398 399 400 401	.Formed from specific materialEdible materialSheet material figure (e.g., paper doll)Three-dimensional folded figureEyeEye .Limb, hand or foot .HeadEyeEyelashHaving hairMouth feature BALANCED OR SELF-RIGHTING (E.G., ROCKING) SOUNDING .DetonatingIncluding projecting meansProjectileSimulated weapon	421 422 423 424 425 426 427 428	rattle)Ratchet-actuatedIncluding handle for shaking, flipping, or flickingResiliently restored swinging percussive member GARAGE MATERIAL OR ARTICLE HANDLING DEVICE .Having load supporting swingable armHorizontally swinging (e.g., crane) .On wheeled vehicleHaving tiltable vehicle body portion for discharging contents (e.g., dump truck) DISCRETE LAUNCHER, ACCELERATOR, OR RETARDER FOR TOY VEHICLE .Including helical spring or
385 386 387 388 389 390 391 392 393 394 395 396 397 398 399 400	.Formed from specific materialEdible materialSheet material figure (e.g., paper doll)Three-dimensional folded figureEyeEye .Limb, hand or foot .HeadEyeEyelashHaving hairMouth feature BALANCED OR SELF-RIGHTING (E.G., ROCKING) SOUNDING .DetonatingIncluding projecting meansProjectileSimulated weaponCane or rod thrust	421 422 423 424 425 426 427 428 429 430	rattle)Ratchet-actuatedIncluding handle for shaking, flipping, or flickingResiliently restored swinging percussive member GARAGE MATERIAL OR ARTICLE HANDLING DEVICE .Having load supporting swingable armHorizontally swinging (e.g., crane) .On wheeled vehicleHaving tiltable vehicle body portion for discharging contents (e.g., dump truck) DISCRETE LAUNCHER, ACCELERATOR, OR RETARDER FOR TOY VEHICLE .Including helical spring or elastomeric strip
385 386 387 388 389 390 391 392 393 394 395 396 397 398 399 400 401 402	.Formed from specific materialEdible materialSheet material figure (e.g., paper doll)Three-dimensional folded figureEyeEye .Limb, hand or foot .HeadEyeEyelashHaving hairMouth feature BALANCED OR SELF-RIGHTING (E.G., ROCKING) SOUNDING .DetonatingIncluding projecting meansProjectileSimulated weaponCane or rod thrust longitudinally against surface	421 422 423 424 425 426 427 428	rattle)Ratchet-actuatedIncluding handle for shaking, flipping, or flickingResiliently restored swinging percussive member GARAGE MATERIAL OR ARTICLE HANDLING DEVICE .Having load supporting swingable armHorizontally swinging (e.g., crane) .On wheeled vehicleHaving tiltable vehicle body portion for discharging contents (e.g., dump truck) DISCRETE LAUNCHER, ACCELERATOR, OR RETARDER FOR TOY VEHICLE .Including helical spring or elastomeric strip ROLLING OR TUMBLING (E.G.,
385 386 387 388 389 390 391 392 393 394 395 396 397 398 399 400 401 402 403	.Formed from specific materialEdible materialSheet material figure (e.g., paper doll)Three-dimensional folded figureEyeEye .Limb, hand or foot .HeadEyeEyelashHaving hairMouth feature BALANCED OR SELF-RIGHTING (E.G., ROCKING) SOUNDING .DetonatingIncluding projecting meansProjectileSimulated weaponCane or rod thrust longitudinally against surfaceIncluding magazine	421 422 423 424 425 426 427 428 429 430 431	rattle)Ratchet-actuatedIncluding handle for shaking, flipping, or flickingResiliently restored swinging percussive member GARAGE MATERIAL OR ARTICLE HANDLING DEVICE .Having load supporting swingable armHorizontally swinging (e.g., crane) .On wheeled vehicleHaving tiltable vehicle body portion for discharging contents (e.g., dump truck) DISCRETE LAUNCHER, ACCELERATOR, OR RETARDER FOR TOY VEHICLE .Including helical spring or elastomeric strip ROLLING OR TUMBLING (E.G., WHEELED)
385 386 387 388 389 390 391 392 393 394 395 396 397 398 399 400 401 402	.Formed from specific materialEdible materialSheet material figure (e.g., paper doll)Three-dimensional folded figureEyeEye .Limb, hand or foot .HeadEyeEyelashHaving hairMouth feature BALANCED OR SELF-RIGHTING (E.G., ROCKING) SOUNDING .DetonatingIncluding projecting meansProjectileSimulated weaponCane or rod thrust longitudinally against surfaceIncluding magazine .With means facilitating	421 422 423 424 425 426 427 428 429 430 431 432	rattle)Ratchet-actuatedIncluding handle for shaking, flipping, or flickingResiliently restored swinging percussive member GARAGE MATERIAL OR ARTICLE HANDLING DEVICE .Having load supporting swingable armHorizontally swinging (e.g., crane) .On wheeled vehicleHaving tiltable vehicle body portion for discharging contents (e.g., dump truck) DISCRETE LAUNCHER, ACCELERATOR, OR RETARDER FOR TOY VEHICLE .Including helical spring or elastomeric strip ROLLING OR TUMBLING (E.G., WHEELED) .Fire apparatus
385 386 387 388 389 390 391 392 393 394 395 396 397 398 399 400 401 402 403	.Formed from specific materialEdible materialSheet material figure (e.g., paper doll)Three-dimensional folded figureEyeEye .Limb, hand or foot .HeadEyeEyelashHaving hairMouth feature BALANCED OR SELF-RIGHTING (E.G., ROCKING) SOUNDING .DetonatingIncluding projecting meansProjectileSimulated weaponCane or rod thrust longitudinally against surfaceIncluding magazine	421 422 423 424 425 426 427 428 429 430 431	rattle)Ratchet-actuatedIncluding handle for shaking, flipping, or flickingResiliently restored swinging percussive member GARAGE MATERIAL OR ARTICLE HANDLING DEVICE .Having load supporting swingable armHorizontally swinging (e.g., crane) .On wheeled vehicleHaving tiltable vehicle body portion for discharging contents (e.g., dump truck) DISCRETE LAUNCHER, ACCELERATOR, OR RETARDER FOR TOY VEHICLE .Including helical spring or elastomeric strip ROLLING OR TUMBLING (E.G., WHEELED)

435	.Vehicle and means for freeing or launching object therefrom	466	Wheels vertically movable relative to chassis
436	.Including changeable program	467	Railroad locomotive simulation
	carried by vehicle	468	Having means permitting turning
437	.Including means for causing		of wheel for steering
	erratic movement	469	Having specific means for
438	.Including illumination means		mounting axle to chassis
439	And battery holder on rolling	470	Having specific body structure
133	or tumbling toy	471	Demountable
440	.Motorcycle, tricycle or bicycle	472	SIMULATED MEDICAL OR TOILET
441	.Including vehicle-carried	172	DEVICE
111	control mechanism activated or	473	SIMULATED WEAPON OR PROTECTOR
	deactivated in response to	474	SIMULATED WEAFON ON PROTECTOR SIMULATED CLOTHES OR FABRIC
	contact with extrinxic	1/1	WORKING OR CLEANING
	structure	475	INCLUDING DISPENSER
442	Reversing	476	BUILDING, TOWER, BRIDGE OR
443	.Having reversible drive	470	HABITATION
444	.Including extrinsic guide or	400	
111	means cooperable with	477	.Including electrical feature
	extrinsic guide	478	.Folding or collapsible
445	Cooperable traction means on	479	BUILDING FURNISHING OR APPLIANCE
445	vehicle and roadway	480	.Simulated fireplace
110	-	481	.Simulated stove, heater, or
446	By guide surface below running		cooking device
4.4.	surface	482	.Chair, table, desk, cabinet or
447	Vehicle having flanged wheel		bed
448	.Including wheel- or axle-	483	SIMULATED DISPENSER OR PUMP
	operated device	484	ELECTRIC
449	Operated by belt drive or by	485	.With lamp
	tangential contact with wheel	486	RESILIENT TOY OR ACTUATOR
450	.Including handle, rod or tether	487	FOLDABLE, COLLAPSIBLE, OR HAVING
	for physically guiding or		PIVOTED PORTION
	<pre>propelling (e.g., trundle,</pre>	488	.Sheet material folded to form
	hoop, etc.)		object
451	Plural wheels	489	INCLUDING SLIDING OR GUIDING
452	Guide means secured centrally		ELEMENT OR PORTION
	of wheel	490	INCLUDING FLACCID ELEMENT OR
453	Including rolling element or		PORTION
	sliding or pivoted retainer	491	MISCELLANEOUS
	between rod and hoop or wheel		
454	.Remotely controlled		
455	Via conductor adjacent to		
	vehicle path	anoaa	DECEDENCE ADM COLLECTIONS
456	By radio signal	CROSS-	-REFERENCE ART COLLECTIONS
457	.Including intrinsic motive power		
	means for propulsion	901	DETACHABLY ADHESIVE
458	And eccentric weight		
459	Elastomeric (e.g., rubber band)		
460	Steering vehicle		
461	Having lock for rotary motor or	FOREIG	N ART COLLECTIONS
	transmission		
462	Having instrinsic energy-	FOR 00	0 CLASS-RELATED FOREIGN DOCUMENTS
	storing battery or flywheel		
463	And clutch		
464	And crutchFlat spiral or torsion spring		
465			
LOJ	.Wheeled vehicle		